

**SYSTEM
STANDEX®**



Sentinel-2
slim & secure

**NEW HIGH
SECURITY SHOWCASE**

Sentinel-2

slim & secure



Size (as illustrated)

840 x 840 x 1950mm, weight 280 kg.
Sentinel-2 can be manufactured to your specifications.

Glazing

Safety glass is fitted - 10mm (P5A) to 15mm (P6B) ultra-clear diamond finish.

Door with fully integrated hinges.

Door with a fully integrated hinge. The door is fitted with a concealed high security multi position interlocking mechanism. No visible locks or handles.

Fully or part assembled

Part assembly on site allows for installation within restricted spaces.

Air exchange System

Air exchange rate of AER 0.1 one time per day.

Base

The base is designed so as moving and positioning can be done by fork lift or pallet truck.

Sentinel-2 offers

- High level of security
- Can be supplied as 4 sides, top & base for assembly on site if and when required.
- Safety glass as specified
- Size and finish to your design.

Accessories

- Silica-gel store
- Electric climate control
- Alarms
- Shelves
- Podiums
- Lighting



Spot light

LED or fibre optic light source options.



Shelves

Fitted to suspension rails offering total variable shelf positions.



Profiles

40mm slim aluminium profiles.



Base

The purpose designed base allows moving and positioning to be done by fork lift or pallet truck.

The fork lift access area can be concealed with a panel.



Part assembled

Sentinel-2 can be supplied as 4 sides, top and base for assembly on site, designed to answer the issue of restricted access.

